# STATE OF NEW HAMPSHIRE INTER-DEPARTMENT COMMUNICATION

DATE:

March 9, 2016

FROM:

Matt Urban

AT (OFFICE): Department of

Transportation

Transportation

SUBJECT

Dredge & Fill Application

Wetlands Program Manager

Piermont, 40322

Bureau of

Environment

TO

Gino Infascelli, Public Works Permitting Officer

New Hampshire Wetlands Bureau 29 Hazen Drive, P.O. Box 95 Concord, NH 03302-0095

Forwarded herewith is the application package prepared by NH DOT Bureau of Bridge Maintenance for the subject Major impact project. This project is classified as Major per Env-Wt 303.02(p). This project is located on NH Route 10 over Eastman Brook in the Town of Piermont. The existing structure has a 30'-0" span and a 49'-3" deck width. This project proposes to install two toewalls to repair two locations where the concrete has spalled and to install temporary scaffolding so the headwalls may be accessed and raised.

This project was reviewed at the April 15, 2015 Natural Resource Agency Coordination Meeting. The minutes from that meeting can be found within this application package as well as on the Departments website via the following link:

http://www.nh.gov/dot/org/projectdevelopment/environment/units/project-management/nracrmeetings.htm

This project does not require mitigation.

A payment voucher has been processed for this application (Voucher #431274) in the amount of \$418.60.

The lead people to contact for this project are Steve Johnson, Assistant Administrator, Bureau of Bridge Maintenance (271-3668 or sjohnson@dot.state.nh.us) or Matt Urban, Wetlands Program Manager, Bureau of Environment (271-3226 or murban@dot.state.nh.us).

If and when this application meets with the approval of the Bureau, please send the permit directly to Matt Urban, Wetlands Program Manager, Bureau of Environment.

MRU:mru Enclosures


cc:
BOE Original
Town of Piermont (4 copies via certified mail)
Carol Henderson, NH Fish & Game
Edna Feighner, NH Division of Historic Resources (NHDOT Cultural Resource Review Within)
Maria Tur, US Fish & Wildlife
Mark Kern, US Environmental Protection Agency
Michael Hicks, US Army Corp of Engineers

S:\Environment\PROJECTS\PIERMONT\40322\WETAPP - Bridge Maintenance doc



#### THE STATE OF NEW HAMPSHIRE DEPARTMENT OF ENVIRONMENTAL SERVICES LAND RESOURCES MANAGEMENT **WETLANDS BUREAU**

29 Hazen Drive, PO Box 95, Concord, NH 03302-0095 Phone: (603) 271-2147 Fax: (603) 271-6588 http://des.nh.gov/organization/divisions/water/wetlands



## **PERMIT APPLICATION**

Administrative Use Only	Administrative Use Only		inishalive Use Only	File I	sk No.:
REVIEW TIME: Indicate your Review Time below.	Refer to Guidance Document A for	instructions.			
⊠ Standard Review (Minir	num, Minor or Major Impact)		☐ Expedited I	Review (N	Ainimum Impact)
2. PROJECT LOCATION: Separate applications must be file	d with each municipality that jurisdic	ctional impacts	will occur in.		
ADDRESS: NH Rte. 10 over Eas	stman Brook			TOWN/CIT	ry: Piermont
TAX MAP:	BLOCK:	LOT:			UNIT:
USGS TOPO MAP WATERBODY NAME: <b>Eastman Brook</b>			SIZE: <b>20.7 mi2</b>		
LOCATION COORDINATES (If known	): 043`58'11.15" 072`04'46.74"		Encountry and a second control of the second	ngang mandadigang and an American State (1 to 2 decision) (10 to 2 decision) (10 to 2 decision) (10 to 2 decision)	☑ Latitude/Longitude
of your project. DO NOT reply "Se The existing structure is a co structure has a 30'-0" span a	roject outlining the scope of work. As e Attached" in the space provided loncrete arch bridge that carrie and a 49'-3" deck width. This perhas spalled and to install ten	below. es NH Route opopo	10 over Easti ses to instal	man Bro	ook. The existing ewalls to repair two
4. RELATED PERMITS, ENFOR	CEMENT, EMERGENCY AUTHOR	IZATION, SHO	RELAND, ALT	ERATIO	N OF TERRAIN, ETC
5. NATURAL HERITAGE BUREA See the Instructions & Required A	AU & DESIGNATED RIVERS: ttachments document for instruction	ns to complete	a & b below.		
a. Natural Heritage Bureau File I	D: NHB <u>16 - <b>0527</b> .</u>				
<ul> <li>b. ☐ Designated River the projection</li> <li>date a copy of the applicate</li> <li>☑ NA</li> </ul>	ect is in ¼ miles of: ion was sent to Local River Advisor	y Committee: N	; and Month: Da	y: Ye	ear:

6. APPLICANT INFORMATION (Desired permit holder	)			
LAST NAME, FIRST NAME, M.I.: Johnson, Steve W				
TRUST / COMPANY NAME: NH Dept. of Transportation	ı MA	ILING ADDRES	ss: 7 Hazen Drive	•
TOWN/CITY: Concord		•	STATE: NF	ZIP CODE: <b>03302</b>
EMAIL or FAX: sjohnson@dot.state.nh.us		PHONE: 603	3 271 3226	
ELECTRONIC COMMUNICATION: By initialing here:	ereby authorize D	ES to communic	cate all matters relativ	ve to this application electronically
7. PROPERTY OWNER INFORMATION (If different th	an applicant)			
LAST NAME, FIRST NAME, M.I.:				
TRUST / COMPANY NAME:	MA	ILING ADDRES	SS:	
TOWN/CITY:			STATE:	ZIP CODE:
EMAIL or FAX:		PHO	NE:	
ELECTRONIC COMMUNICATION: By initialing here	I hereby authoriz	e DES to comm	unicate all matters re	lative to this application electronically
8. AUTHORIZED AGENT INFORMATION				
LAST NAME, FIRST NAME, M.I.: Weatherbee, Anthony	N	СОМ	PANY NAME: <b>NH D</b>	ept. of Transportation
MAILING ADDRESS: 7 Hazen Drive	2			
TOWN/CITY: Concord		/	STATE: NF	ZIP CODE: 03302
EMAIL or FAX: aweatherbee@dot.state.nh.us PHONE: 603-271-3667				
ELECTRONIC COMMUNICATION: By initialing here	I hereby authoriz	e DES to comm	unicate all matters re	lative to this application electronically
9. PROPERTY OWNER SIGNATURE: See the Instructions & Required Attachments document for	or clarification o	the below sta	itements	
<ol> <li>I authorize the applicant and/or agent indicated on upon request, supplemental information in support</li> <li>I have reviewed and submitted information &amp; attact</li> <li>All abutters have been identified in accordance with</li> <li>I have read and provided the required information of</li> <li>I have read and understand Env-Wt 302.03 and had</li> <li>Any structure that I am proposing to repair/replace grandfathered per Env-Wt 101.47.</li> <li>I have submitted a copy of the application materials</li> <li>I authorize DES and the municipal conservation composited and in the information being submitted and in understand that the willful submission of falsified Environmental Services is a criminal act, which</li> <li>I am aware that the work I am proposing may resolution obtaining.</li> <li>The mailing addresses I have provided are up to forward returned mail.</li> </ol>	t of this permit a hments outlined h RSA 482-A:3, outlined in Env-\ave chosen the laws either prevents to the NH Statemmission to insend that to the beed or misrepresental in leading additional hard to the second of the second	oplication. in the Instruct I and Env-Wt Wt 302.04 for east impacting iously permitte e Historic Pres pect the site o st of my know ented informa gal action. I state, local o	ions and Required 100-900. the applicable project alternative. The Wetlands servation Officer. If the proposed projection to the New Hor federal permits and the permits of the proposed projection to the New Hor federal permits.	Attachment document.  ect type.  Bureau or would be considered  ject. on is true and accurate. Hampshire Department of  which I am responsible for
Sleve William Property Owner Signature	STEO		othsow	312116 Date

#### MUNICIPAL SIGNATURES

10. CONSERVATION C	OMMISSION SIGNATURE	
The signature below certifies that the municipal conservation  1. Waives its right to intervene per RSA 482-A:11;  2. Believes that the application and submitted plans accurate  3. Has no objection to permitting the proposed work.		and:
□ Authorized Commission Signature	Print name legibly	Date

#### **DIRECTIONS FOR CONSERVATION COMMISSION**

- 1. Expedited review ONLY requires that the conservation commission's signature is obtained in the space above.
- 2. The Conservation Commission signature should be obtained prior to the submittal of the original application and four copies to the town/city clerk for mailing to the DES.
- 3. The Conservation Commission may refuse to sign. If the Conservation Commission does not sign this statement for any reason, the application is not eligible for expedited review and the application will reviewed in the standard review time frame.

As required by Chapter 482-A:3 (amendetailed plans, and five USGS location postal receipts (or copies) for all abutte	maps with the town/city indicated b	applicant has filed five applica	ation forms, five I retained certified
口〉 Town/City Clerk Signature	Print name legibly	Town/City	Date

#### DIRECTIONS FOR TOWN/CITY CLERK:

Per RSA 482-A:3,I(d):

- 1. For applications where "Expedited Review" is checked on page 1, accept the application for mailing only if the Conservation Commission signature has been sought;
- 2. Collect the postal receipts demonstrating that all abutters and the Local Advisory Committee were sent proper notice;
- 3. Collect any administrative fees, not to exceed \$10 plus the cost of postage by certified mail (RSA 482-A:3,I).
- 4. IMMEDIATELY sign the original application and four copies in the signature space provided above;
- 5. Retain one copy of the application form, one complete set of attachments and the postal receipts demonstrating that all abutters and the Local River Advisory Committee were notified and make them reasonably accessible to the public;
- 6. IMMEDIATELY distribute a copy of the application with one complete set of attachments to each of the following bodies: the municipal Conservation Commission, the local governing body (Board of Selectmen or Town/City Council), and the Planning Board in accordance with RSA 482-A:3, I; and
- 7. IMMEDIATELY send the ORIGINAL application form, one complete set of attachments and filing fee, by CERTIFIED MAIL to the NHDES Wetlands Bureau at the address indicated on page 1 of this application. (DO NOT HOLD FOR CONSERVATION COMMISSION SIGNATURE).

#### 12. IMPACT AREA:

For each jurisdictional area that will be/has been impacted, provide square feet and, if applicable, linear feet of impact <u>Permanent</u>: impacts that will remain after the project is complete.

Temporary: impacts not intended to remain (and will be restored to pre-construction conditions) after the project is complete.

After-the-fact (ATF): work completed prior to receipt of this application by DES. Check box to indicate ATF.

JURISDICTIONAL AREA	PERMANENT Sq. Ft. / Lin. Ft.		TEMPORARY Sq. Ft. / Lin. Ft.	
Forested wetland		☐ ATF		☐ ATF
Scrub-shrub wetland		☐ ATF		☐ ATF
Emergent wetland		☐ ATF		☐ ATF
Wet meadow		☐ ATF		ATF
Intermittent stream		☐ ATF		☐ ATF
Perennial Stream / River	20 / 20	☐ ATF	1557 / 99	ATF
Lake / Pond	/	☐ ATF	1	☐ ATF
Bank - Intermittent stream		☐ ATF	1	ATF
Bank - Perennial stream / River	0/0	☐ ATF	516 / 77	☐ ATF
Bank - Lake / Pond	/	ATF	1	ATF
Tidal water	/	☐ ATF	1	ATF
Salt marsh		☐ ATF		ATF
Sand dune		☐ ATF		☐ ATF
Prime wetland		☐ ATF		ATF
Prime wetland buffer	A CANADA A CANADA CANAD	☐ ATF		☐ ATF
Undeveloped Tidal Buffer Zone (TBZ)		☐ ATF		☐ ATF
Previously-developed upland in TBZ		☐ ATF		☐ ATF
Docking - Lake / Pond		☐ ATF		ATF
Docking - River		☐ ATF		ATF
Docking - Tidal Water		☐ ATF		ATF
TOTAL	20 / 20		2073 / 176	
13. APPLICATION FEE: See the li	nstructions & Required Attachment	s document fo	or further instruction	
☐ Minimum Impact Fee: Flat fee ☑ Minor or Major Impact Fee: Ca	of \$ 200 Iculate using the below table below	,		
Permaner	t and Temporary (non-docking)	2093	sq. ft. X \$0.20 = <b>\$418.60</b>	
Tempora	ry (seasonal) docking structure:		sq. ft. X \$1.00 = \$	<del></del>
	Permanent docking structure:		sq. ft. X \$2.00 = _\$	
Proje	cte proposina shoreline structu	res lincludino	n docks) add \$200 = \$	

The Application Fee is the above calculated Total or \$200, whichever is greater = \$418.60


Total = \$

## **CONSTRUCTION SEQUENCE**

- 1. Sandbags will be placed in the brook and the work zone will be dewatered. Stream flow will be maintained through the natural channel.
- 2. Concrete toewalls will be placed in front of the abutments.
- 3. All dewatering devices will be removed and the site will be restored to its original quality.

#### Note:

Project will use and maintain DES Best Management Practices at all stages of construction.





# THE STATE OF NEW HAMPSHIRE DEPARTMENT OF ENVIRONMENTAL SERVICES LAND RESOURCES MANAGEMENT

#### WETLANDS BUREAU

29 Hazen Drive, PO Box 95, Concord, NH 03302-0095
Phone: (603) 271-2147 Fax: (603) 271-6588
<a href="http://des.nh.gov/organization/divisions/water/wetlands/index.htm">http://des.nh.gov/organization/divisions/water/wetlands/index.htm</a>
Permit Application Status: <a href="http://des.nh.gov/onestop/index.htm">http://des.nh.gov/onestop/index.htm</a>

# PERMIT APPLICATION – ATTACHMENT A MINOR & MAJOR 20 QUESTIONS

<u>Env-Wt 302.04 Requirements for Application Evaluation</u> – For any major or minor project, the applicant shall demonstrate by plan and example that the following factors have been considered in the project's design in assessing the impact of the proposed project to areas and environments under the department's jurisdiction. Respond with statements demonstrating:

1. The need for the proposed impact.

The existing structure has one location on each concrete abutment where the concrete is spalling and is in need of repair. The headwalls also need to be raised. If the concrete spalling is allowed to progress, eventually the structure will become unstable and the road will need to be load posted, or closed. The poor locations will be removed and toewalls will be installed to alleviate the issue. Riprap is not required because the structure is located on bedrock. It is necessary to impact jurisdictional areas to provide for the repairs and for access. The impacts are for temporary construction access and for the concrete toewalls.

2. That the alternative proposed by the applicant is the one with the least impact to the wetlands or surface waters on site.

The alternatives considered are as follows:

Replace the Entire Structure: Eastman Brook has a drainage area of 20.7 square miles which qualifies this stream as a Tier 3 Crossing. The bankfull width is 54'-11"; the required span for a replacement structure based on the NH Stream Crossing Guidelines for a new crossing is 67'-11". A structure of this size typically has an estimated cost of \$1,500,000. The environmental impacts for this alternative are much greater because the existing bridge would have to be taken down and a new, larger structure would be built.

Install Concrete Toe walls: This is the proposed alternative. The concrete toe walls are needed to stabilize the structure. The impacts for the scaffolding to raise the headwalls are temporary. The proposed repair has an estimated cost of \$50,000. Replacing the entire structure is not considered practicable since the structure can be repaired more cost effectively and with less environmental impacts.

3. The type and classification of the wetlands involved.

R2RB1: Riverine, lower perennial, rock bottom, bedrock Bank

4. The relationship of the proposed wetlands to be impacted relative to nearby wetlands and surface waters.

Eastman Brook flows into the Connecticut River.

5. The rarity of the wetland, surface water, sand dunes, or tidal buffer zone area.

Eastman Brook has not been identified as a rare surface water of the state.

6. The surface area of the wetlands that will be impacted.

1577ft<sup>2</sup> Riverine (1557ft<sup>2</sup> temporary, 20ft<sup>2</sup> permanent) 516ft<sup>2</sup> Bank (516ft<sup>2</sup> temporary, 0ft<sup>2</sup> permanent)

- 7. The impact on plants, fish, and wildlife, but not limited to:
  - a. Rare, special concern species;
  - b. State and federally listed threatened and endangered species;
  - c. Species at the extremities of their ranges;
  - d. Migratory fish and wildlife;
  - e. Exemplary natural communities identified by the DRED-NHB; and
  - f. Vernal pools.
- a) No rare or special concern species were identified within the proposed project area.
- b) No Threatened or Endangered Species were identified by NHB. The USF&WS IPaC search identified the Northern Long-Eared Bat (NLEB) on the Project's Official Species List as having potential to be present in the project area. This project does require tree clearing. The Department has determined that the project will not result in any prohibited take as described in the final 4(d) rule that will be effective February 16th. The Department intends to employ the optional framework to streamline section 7 consultation in accordance with the USFWS non-jeopardy Intra-Service Programmatic Biological Opinion on their action of issuing the 4(d) rule for the NLEB, provided that ACOE elects to adopt this process.
- c) There are no species known to be at the extremities of their ranges located in the project area or the surrounding area.
- d) Migratory fish and wildlife will be protected under the direction of NH Fish and Game.
- e) The Department has coordinated with DRED and the results of the NHB review revealed no records in this area.
- f) There were no vernal pools identified and/or delineated in the project area.
- 8. The impact of the proposed project on public commerce, navigation and recreation.

During construction, access to the nearby residents and/or commercial businesses will be maintained at all times. Access will not normally be disrupted; but when it is, access will be maintained with at least one lane. Eastman Brook is non-navigable water which makes it non-conducive to boaters. There are no recreational areas that have been identified in this area except for the possibility for fishing. During construction fishing activities from the banks of the brook will need to occur outside of the construction work zone. When construction is completed, the project as proposed will be a benefit to the public commerce.

9. The extent to which a project interferes with the aesthetic interests of the general public. For example, where an applicant proposes the construction of a retaining wall on the bank of a lake, the applicant shall be required to indicate the type of material to be used and the effect of the construction of the wall on the view of other users of the lake.

The project will not significantly interfere with the aesthetic interests of the general public. The proposed improvements will be more pleasing to the eye than the structure in poor condition.

10. The extent to which a project interferes with or obstructs public rights of passage or access. For example, where the applicant proposes to construct a dock in a narrow channel, the applicant shall be required to document the extent to which the dock would block or interfere with the passage through this area.

The project will not interfere with or obstruct public rights of passage or access. During construction at least one lane of alternating traffic will be maintained at all times. This will ensure access to all nearby businesses and residential homes in this area.

11. The impact upon the abutting pursuant to RSA 482-A:11, II. For example, if an applicant is proposing to riprap a stream, the applicant shall be required to document the effect of such work on upstream and downstream abutting properties.

The project is expected to have a positive impact on abutting properties. The toe walls and riprap that are being installed will prevent a washout of the structure which will better protect abutting properties.

The project as proposed will not significantly alter the chance of flooding on abutting properties.

12. The benefit of a project to the health, safety, and well-being of the general public.

The project will provide a safer, longer lasting structure and roadway. If the structure is not rehabilitated, the bridge will eventually be load posted or closed. Keeping the roadway open benefits commerce, trade, emergency access, etc, for the general public.

13. The impact of a proposed project on quantity or quality of surface and ground water. For example, where an applicant proposes to fill wetlands the applicant shall be required to document the impact of the proposed fill on the amount of drainage entering the site versus the amount of drainage exiting the site and difference in the quality of water entering and exiting the site.

The proposed project will not significantly alter the existing surface water runoff or storm water discharge locations. Best Management Practices will be used to prevent any adverse effect to water quality during construction.

14. The potential of a proposed project to cause or increase flooding, erosion, or sedimentation.

Flooding: The project will not alter the potential of flooding. This project will not change the hydraulic capacity of the structure. The existing crossing has no history of flooding or overtopping of the existing structure.

Erosion: The toe walls placed around the structure will prevent erosion and preserve the natural alignment and gradient of the stream channel.

Sedimentation: Nothing that will be a barrier to sediment transport will be installed in this project. Sedimentation in the open channel will not be caused as a result of this project.

15. The extent to which a project that is located in surface waters reflects or redirects current or wave energy which might cause damage or hazards.

Surface waters will not be reflected or redirected as a result of this project. Eastman Brook does not have enough surface water for wave energy to be an issue.

16. The cumulative impact that would result if all parties owning or abutting a portion of the affected wetland or wetland complex were also permitted alternations to the wetland proportional to the extent of their property rights. For example, an applicant who owns only a portion of a wetland shall document the applicant's percentage ownership of that wetland and the percentage of that ownership that would be impacted.

The work consists of the repair of an existing bridge structure. There are no similar structures in the vicinity owned by other parties that would require repair.

17. The impact of the proposed project on the values and functions of the total wetland or wetland complex.

The value of the wetland as a habitat for living organisms will be unchanged. A function of Eastman Brook is to carry water from a higher elevation to a lower elevation. This project will not interfere with that function.

18. The impact upon the value of the sites included in the latest published edition of the National Register of Natural Landmarks, or sites eligible for such publication.

This project is not located in or near any Natural Landmarks listed on the National Register.

19. The impact upon the value of areas named in acts of congress or presidential proclamations as national rivers.

# New Hampshire Department of Transportation Bureau of Bridge Maintenance

### Project # 40322, Bridge # 067/093 Piermont, NH, Rte. 10 over Eastman Brook

national wilderness areas, national lakeshores, and such areas as may be established under federal, state, or municipal laws for similar and related purposes such as estuarine and marine sanctuaries.
There are no areas named in acts of congress or presidential proclamations as national rivers, national wildness areas, or national lakeshores that will be impacted as a result of this project.
20. The degree to which a project redirects water from one watershed to another.
The project as proposed will not redirect water from one watershed to another.
Additional comments



New Hampshire Programmatic General Permit (PGP)
Appendix B - Corps Secondary Impacts Checklist
(for inland wetland/waterway fill projects in New Hampshire)

- 1. Attach any explanations to this checklist. Lack of information could delay a Corps permit determination.
- 2. All references to "work" include all work associated with the project construction and operation. Work includes filling, clearing, flooding, draining, excavation, dozing, stumping, etc.
- 3. See PGP, GC 5, regarding single and complete projects.
- 4. Contact the Corps at (978) 318-8832 with any questions.

1. Impaired Waters	Yes	No
1.1 Will any work occur within 1 mile upstream in the watershed of an impaired water? See		
http://des.nh.gov/organization/divisions/water/wmb/section401/impaired_waters.htm		V
to determine if there is an impaired water in the vicinity of your work area.*		<u> </u>
2. Wetlands	Yes	No
2.1 Are there are streams, brooks, rivers, ponds, or lakes within 200 feet of any proposed work?	X	
2.2 Are there proposed impacts to SAS, shellfish beds, special wetlands and vernal pools (see		
PGP, GC 26 and Appendix A)? Applicants may obtain information from the NH Department of		
Resources and Economic Development Natural Heritage Bureau (NHB) website,	8	
www.nhnaturalheritage.org, specifically the book Natural Community Systems of New		V
Hampshire.		Χ
2.3 If wetland crossings are proposed, are they adequately designed to maintain hydrology,		
sediment transport & wildlife passage?	Х	
2.4 Would the project remove part or all of a riparian buffer? (Riparian buffers are lands adjacent		
to streams where vegetation is strongly influenced by the presence of water. They are often thin		
lines of vegetation containing native grasses, flowers, shrubs and/or trees that line the stream		X
banks. They are also called vegetated buffer zones.)		
2.5 The overall project site is more than 40 acres.	06	X
2.6 What is the size of the existing impervious surface area?	3642	A-
2.7 What is the size of the proposed impervious surface area?	364	34
2.8 What is the % of the impervious area (new and existing) to the overall project site?		296
3. Wildlife	Yes	No
3.1 Has the NHB determined that there are known occurrences of rare species, exemplary natural		
communities, Federal and State threatened and endangered species and habitat, in the vicinity of		.,
the proposed project? (All projects require a NHB determination.)		X
3.2 Would work occur in any area identified as either "Highest Ranked Habitat in N.H." or		
"Highest Ranked Habitat in Ecological Region"? (These areas are colored magenta and green,		
respectively, on NH Fish and Game's map, "2010 Highest Ranked Wildlife Habitat by Ecological		
Condition.") Map information can be found at:		
• PDF: www.wildlife.state.nh.us/Wildlife/Wildlife_Plan/highest_ranking_habitat.htm.	<b>V</b>	
• Data Mapper: <u>www.granit.unh.edu</u> .	X	
• GIS: www.granit.unh.edu/data/downloadfreedata/category/databycategory.html.		

3.3 Would the project impact more than 20 acres of an undeveloped land block (upland, wetland/waterway) on the entire project site and/or on an adjoining property(s)?		χ
3.4 Does the project propose more than a 10-lot residential subdivision, or a commercial or industrial development?		K
3.5 Are stream crossings designed in accordance with the PGP, GC 21?	٨	
4. Flooding/Floodplain Values	Yes	No
4.1 Is the proposed project within the 100-year floodplain of an adjacent river or stream?		X
4.2 If 4.1 is yes, will compensatory flood storage be provided if the project results in a loss of flood storage?		NA
5. Historic/Archaeological Resources		
For a minor or major impact project - a copy of the Request for Project Review (RPR) Form (www.nh.gov/nhdhr/review) shall be sent to the NH Division of Historical Resources as required on Page 5 of the PGP**		NA

<sup>\*</sup>Although this checklist utilizes state information, its submittal to the Corps is a Federal requirement.

\*\* If project is not within Federal jurisdiction, coordination with NH DHR is not required under Federal law..



# THE STATE OF NEW HAMPSHIRE DEPARTMENT OF TRANSPORTATION BUREAU OF BRIDGE MAINTENANCE

7 Hazen Drive, PO Box 483, Concord, NH 03302-0095 Phone: (603) 271-3667 Fax: (603) 271-1588



# WETLANDS PERMIT APPLICATION – ATTACHMENT C Stream Crossing Requirements & Information

Env-Wt 904.09(a) – If the applicant believes that installing the structure specified in the applicable rule is not practicable then the applicant may propose an alternative design in accordance with this section.

1. Please explain why the structure specified in the applicable rule is not practicable (Env-Wt 101.69 defines practicable as "available and capable of being done after taking into consideration costs, existing technology, and logistics in light of overall project purposes") (question 2, Attachment A, Minor and Major 20 Questions);

Eastman Brook has a drainage area of 20.7 square miles which qualifies this stream as a Tier 3 Crossing. The required span based on the NH Stream Crossing Guidelines for a new crossing 67'-11". A structure of this size would typically cost approximately \$1,500,000. Spending this much money on a structure that could be adequately preserved for approximately \$50,000 would not be a practicable use of resources. There would be a significant increase in wetland impacts if a structure of this size were installed due to the additional footprint and for construction.

- 2. Please explain how the proposed alternative meets the specific design criteria for Tier 2 and Tier 3 crossings to the *maximum extent practicable*. Env-Wt 904.05 Design Criteria for Tier 2 and Tier 3 Stream Crossings New Tier 2 stream crossings, replacement Tier 2 crossings that do not meet the requirements of Env-Wt 904.07, and new and replacement Tier 3 crossings shall be designed and constructed...
- ...In accordance with the NH Stream Crossing Guidelines:

The NH Stream Crossing Guidelines do not mention maintenance to a structure in a Tier 3 watershed.

The proposed structure will match the existing slope and alignment.

The bottom of the existing structure is currently a natural bottom and it will not be changed as a result of this project.

Wildlife passage through the proposed structure will not be changed as a result of this project.

The proposed structure will maintain the flow depths found in the existing structure.

The proposed structure is expected to be able to pass the 100 year flood event.

...With bed forms and streambed characteristics necessary to cause water depths and velocities within the crossing structure at a variety of flows to be comparable to those found in the natural channel upstream and downstream of the stream crossing:

Water depths and velocities within the crossing at a variety of flows will be comparable to the existing depths and velocities. These flows are comparable to those found in the natural channel upstream and downstream of the stream crossing.

...To provide a vegetated bank on both sides of the watercourse to allow for wildlife passage:

It is not possible to provide vegetated banks on both sides of the watercourse below the roadway, regardless of the type of structure installed. Wildlife passage through the proposed structure will not be changed as a result of this project. ...To preserve the natural alignment and gradient of the stream channel, so as to accommodate natural flow regimes and the function of the natural floodplain (questions 14 and 15, Attachment A, Minor and Major 20 Questions);

The natural alignment and gradient of the stream channel will not be altered as a result of this project. The toewalls and raising the headwalls will not alter the potential of flooding.

Surface waters will not be reflected or redirected as a result of this project.

... To accommodate the 100-year frequency flood and to ensure that there is no increase in flood stages on abutting properties (questions 11 and 14, Attachment A, Minor and Major 20 Questions):

The toewalls and raising the headwalls will not alter the potential of flooding.

The project as proposed will not alter the chance of flooding on abutting properties.

...To simulate a natural stream channel:

The center of the stream channel is currently a natural bottom and will not be changed as a result of this project.

...So as not to alter sediment transport competence (question 14, Attachment A, Minor and Major 20 Questions):

Nothing that will be a barrier to sediment transport will be installed in this project.

Env-Wt 904.09(c)(3) - The alternative design must meet the general design criteria specified in Env-Wt 904.01:

(a) Not be a barrier to sediment transport (question 14, Attachment A, Minor and Major 20 Questions);

Nothing that will be a barrier to sediment transport will be installed in this project.

(b) Prevent the restriction of high flows and maintain existing low flows (question 14, Attachment A, Minor and Major 20 Questions);

The addition of toewalls will not alter the existing high and low flows.

(c) Not obstruct or otherwise substantially disrupt the movement of aquatic life indigenous to the water body beyond the actual duration of construction (question 7, Attachment A, Minor and Major 20 Questions);

The structure will provide the same degree of aquatic passage as the existing structure.

(d) Not cause an increase in the frequency of flooding or overtopping of banks (question 14, Attachment A, Minor and Major 20 Questions);

The toewalls and raising the headwalls will not alter the potential of flooding.

The project as proposed will not alter the chance of flooding on abutting properties.

(e) Preserve watercourse connectivity where it currently exists (question 15, Attachment A, Minor and Major 20 Questions);

Connectivity will remain unchanged with the proposed structure and will not be worsened.

(f) Restore watercourse connectivity where...

...connectivity previously was disrupted as a result of human activity(ies) (question 15, Attachment A, Minor and Major 20 Questions);

Connectivity will remain unchanged with the proposed structure and will not be worsened.

# New Hampshire Department of Transportation Bureau of Bridge Maintenance

#### Project # 40322, Bridge # 067/093 Piermont, NH, Rte. 10 over Eastman Brook

...restoration of connectivity will benefit aquatic life upstream or downstream of the crossing (question 15, Attachment A, Minor and Major 20 Questions);

Aquatic life upstream and downstream will not be affected as a result of this project.

(g) Not cause erosion, aggradation, or scouring upstream or downstream of the crossing (question 14, Attachment A, Minor and Major 20 Questions);

The toewalls will prevent erosion and preserve the natural alignment and gradient of the stream channel. Nothing that will be a barrier to sediment transport will be installed in this project.

(h) Not cause water quality degradation (question 13, Attachment A, Minor and Major 20 Questions).

The project as proposed will not impact the quantity or quality of surface and/or groundwater at this site. Best Management Practices will be used to prevent any adverse effect to water quality during construction.

#### **Hydraulic Data**

Drainage Area - 20.7 sq mi

Q 100 = 1480 cfs

This project will not change the hydraulic capacity of the structure.




Figure 4: Watershed

#### PART Env-Wt 404 CRITERIA FOR SHORELINE STABILIZATION

The rehabilitation of the bridge that carries Rte. 10 over Eastman Brook proposes the placement of stone fill within areas under the jurisdiction of the NH Wetlands Bureau and the US Army Corps of Engineers. The stone fill will be located in the channel and along the bank of the proposed structure as shown on the plans.

Pursuant to PART Wt 404 Criteria for Shoreline Stabilization, the following addresses each codified section of the Administrative Rules:

#### Wt 404.01 Least Intrusive Method

The riverbank stabilization treatment proposed is the least intrusive construction method necessary to minimize the disruption to the existing shorelines. The stone treatment can be reasonably constructed utilizing general highway construction methods.

#### Wt 404.02 Diversion of Water

Proposed roadway drainage will allow storm water run-off to be diverted so that it will flow over vegetated areas, insofar as possible, prior to entering Eastman Brook. This will minimize erosion of the shoreline.

#### Wt 404.03 Vegetative Stabilization

Natural vegetation will be left undisturbed to the maximum extent possible. The only locations being disturbed are the impacted areas on the plan for construction. All newly developed slopes and disturbed areas will have humus and seed applied for turf establishment, which will help stabilize the project area.

#### Wt 404.04 Rip-Rap

- (a) Stone fill, as proposed, is shown on the attached plans to protect the channel and bank as necessary. Stable embankments are necessary to maintain the structural integrity of the bridge during all flow conditions.
- (b) (1-5) The minimum and maximum stone size, the gradation, cross sections of the stone fill, proposed location, and other details have been provided on the attached plans. Bedding for the stone fill will consist of natural ground excavated to the proposed underside of the stone fill.
- (b) (6) Enclosed are plan sheets to sufficiently indicate the relationship of the project to fixed points of reference, abutting properties, and features of the natural shoreline.
- (b) (7) Stone fill is recommended for the limits shown on the attached plans to protect the banks from erosion during flood flows, from scour during all flows, and slopes greater than 2:1 have difficulty supporting vegetation.
- (c) This project is not located adjacent to a great pond or water body where the state holds fee simple ownership.
- (d) Stone fill is proposed to extend down to and adequately keyed into the channel bottom to prevent possible undermining of the slope.
- (e) The enclosed plan has been stamped by a professional engineer.

To: Tony Weatherbee, New Hampshire Department of Transportation

7 Hazen Drive

Concord, NH 03302

From: NH Natural Heritage Bureau

**Date**: 2/26/2016 (valid for one year from this date)

Re: Review by NH Natural Heritage Bureau of request submitted 2/23/2016

NHB File ID: NHB16-0527 Applicant: Tony Weatherbee

Location: Piermont

The bridge that carries NH Route 10 over Eastman Brook

Project

**Description:** The existing structure is a concrete arch bridge that carries NH Route

10 over Eastman Brook. The existing structure has a 30'-0" span and a 49'-3" deck width. This project proposes to install toewalls on the abutments and wingwalls to repair an undermined condition.


The NH Natural Heritage database has been checked by staff of the NH Natural Heritage Bureau and/or the NH Nongame and Endangered Species Program for records of rare species and exemplary natural communities near the area mapped below. The species considered include those listed as Threatened or Endangered by either the state of New Hampshire or the federal government.

It was determined that, although there was a NHB record (e.g., rare wildlife, plant, and/or natural community) present in the vicinity, we do not expect that it will be impacted by the proposed project. This determination was made based on the project information submitted via the NHB Datacheck Tool on 2/23/2016, and cannot be used for any other project.



### MAP OF PROJECT BOUNDARIES FOR: NHB16-0527

#### NHB16-0527





## **United States Department of the Interior**

#### FISH AND WILDLIFE SERVICE

New England Ecological Services Field Office 70 COMMERCIAL STREET, SUITE 300 CONCORD, NH 03301

PHONE: (603)223-2541 FAX: (603)223-0104 URL: www.fws.gov/newengland



March 07, 2016

Consultation Code: 05E1NE00-2016-SLI-1053

Event Code: 05E1NE00-2016-E-01459

Project Name: Piermont 067/093

Subject: List of threatened and endangered species that may occur in your proposed project

location, and/or may be affected by your proposed project

#### To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 et seq.), and projects affecting these species may require development of an eagle conservation plan

(http://www.fws.gov/windenergy/eagle\_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (http://www.fws.gov/windenergy/) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm; http://www.towerkill.com; and

http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment



Project name: Piermont 067/093

### **Official Species List**

#### Provided by:

New England Ecological Services Field Office 70 COMMERCIAL STREET, SUITE 300 CONCORD, NH 03301 (603) 223-2541\_ http://www.fws.gov/newengland

<u>....</u>

Consultation Code: 05E1NE00-2016-SLI-1053

**Event Code:** 05E1NE00-2016-E-01459

Project Type: BRIDGE CONSTRUCTION / MAINTENANCE

Project Name: Piermont 067/093

**Project Description:** The existing structure is a concrete arch bridge that carries NH Route 10 over Eastman Brook. The existing structure has a 30'-0" span and a 49'-3" deck width. This project proposes to install two toewalls to repair two locations where the concrete has spalled and to install temporary scaffolding so the headwalls may be accessed and raised.


**Please Note:** The FWS office may have modified the Project Name and/or Project Description, so it may be different from what was submitted in your previous request. If the Consultation Code matches, the FWS considers this to be the same project. Contact the office in the 'Provided by' section of your previous Official Species list if you have any questions or concerns.





Project name: Piermont 067/093

### **Project Location Map:**



**Project Coordinates:** MULTIPOLYGON (((-72.08037614822388 43.96985490476549, -72.07932472229002 43.96977382792159, -72.07905650138855 43.96963483878885, -72.07931399345398 43.9692719211866, -72.08052635192871 43.9693336945521, -72.08037614822388 43.96985490476549)))

Project Counties: Grafton, NH





Project name: Piermont 067/093

## **Endangered Species Act Species List**

There are a total of 1 threatened or endangered species on your species list. Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species. Critical habitats listed under the **Has Critical Habitat** column may or may not lie within your project area. See the **Critical habitats within your project area** section further below for critical habitat that lies within your project. Please contact the designated FWS office if you have questions.

Mammals	Status	Has Critical Habitat	Condition(s)
Northern long-eared Bat (Myotis	Threatened		
septentrionalis)		a a	P





Project name: Piermont 067/093

## Critical habitats that lie within your project area

There are no critical habitats within your project area.

## **MITIGATION REPORT**

This project is considered maintenance of the Tier 3 structure therefore no mitigation is required. In the April 15, 2015 Natural Resources Agency Meeting Lori said no mitigation would be required.

#### Piermont, non-federal, 40322

Tony Weatherbee provided an overview of the project. The scope of the project is to rehab the existing concrete arch bridge that carries NH Route 10 over Eastman Brook. The existing structure has a 30'-0" span and a 49'-3" deck width. This project proposes to install toewalls on the abutments and wingwalls to repair an undermined condition.

Mike Hicks asked if mussels have been spotted in the project location, as the project is just over a ¼ mile from the Connecticut River. Carol Henderson said we are waiting for the NHB Report.

Gino Infascelli said that a downstream abutter has had numerous permits and they are all minimum impact, so mussels are unlikely here.

Lori Sommer said that no mitigation would be required.

This project has not been previously discussed at a Monthly Natural Resource Agency Coordination Meeting.

Projec	t Piermont 40322

#### Wetland Application - NHDOT Cultural Resources Review

For the purpose of compliance with regulations of the National Historic Preservation Act, the Advisory Council on Historic Preservation's *Procedures for the Protection of Historic Properties* (36 CFR 800), the US Army Corps of Engineers' *Appendix C*, and/or state regulation RSA 227-C:9, *Directive for Cooperation in the Protection of Historic Resources*, the NHDOT Cultural Resources Program has reviewed the enclosed Standard Dredge and Fill Application for potential impacts to historic properties.

The state of the s	THE CONTROL OF THE CO
Above Ground Review	
Known/approximate age of structure: 1952 Concrete	Arch
NH RT 10 over Eastman Brook (067/093)	
Project proposes to install two toewalls in front of ab concrete abutment has spalled, and to install tempor and raised. As a temporary measure, sandbags will be No Potential to Cause Effect/No Concerns	ary scaffolding so headwalls may be accessed eplaced in brook and work zone dewatered.
Concerns:	
Below Ground Review	
Recorded Archaeological site: □Yes ⊠No	
Nearest Recorded Archaeological Site Name & Numb ☑ Pre-Contact ☐ Post-Contact	er: 27-GR-0208 Robie Farm Site
Distance from Project Area: 4526 ft southwest of bridge, on east bank of Connect	ticut River
	The state of the s
<ul> <li>No Potential to Cause Effect/No Concerns</li> <li>Activities on both sides of the bridge appear to be restricted the bridge structure is located on bedrock. Access impact concrete toewalls. Impacts for scaffolding to raise headwatch existing slope and alignment.</li> <li>□ Concerns:</li> </ul>	ts are temporary and limited to working on the
Reviewed by:	
Sheifa Charles	3/2/2016
alla -	3/7/2016
NHDOT Cultural Resources Staff	Date:



Figure 1: Rte. 10, south approach (6/1999).



Figure 2: Upstream elevation (6/1999).

